

## CLAMPING KNOBS

<b>VB.639</b> 	<b>Three-arm knobs</b> Technopolymer, black colour, matte finish or Duroplast with glossy finish (VB.239) for special applications. Black-oxide steel boss with plain blind hole; brass or AISI 303 stainless steel boss with threaded blind hole or threaded pass-through hole; zinc-plated steel threaded stud. Black-oxide steel hub, uncovered front end, with pre-drilled blind hole (VB.239). Diameters: 63 - 80 - 100 - 130 - 140 mm 	<b>GN 5335</b> 	<b>Lobe knobs</b> AISI 303 stainless steel, sandblasted matte finish. Hub with H7 reamed blind or threaded hole. Diameters: 40 - 50 - 60 mm 
<b>VCT.</b> 	<b>Lobe knobs</b> Technopolymer, black colour, matte finish. Black-oxide steel boss with plain blind hole; brass boss with threaded blind hole or threaded pass-through hole; zinc-plated steel threaded glossy stud. Centre cap available in six different colours. Also available in self-extinguish technopolymer certified UL-94 V0 (VCT.AE-V0). Diameters: 25 - 32 - 40 - 50 - 63 - 74 - 95 mm	<b>ELK.</b> 	<b>Lobe knobs</b> Technopolymer, grey-black colour, matte finish. Black-oxide steel boss with H9 reamed blind hole or H7 reamed pass-through hole; brass boss with threaded blind hole; threaded zinc-plated steel stud. Boss cap in technopolymer in Ergostyle colours, ultrasonically welded to the body of the hub. Diameters: 45 - 56 - 70 mm 
<b>VCT.SOFT</b> 	<b>Lobe knobs</b> Technopolymer coated with "soft-touch" elastomer chemically bonded, black colour, matte finish. Brass boss with threaded blind hole or zinc-plated steel threaded stud. Centre cap in technopolymer available in six different colours. Diameters: 43 - 53 - 66 - 77 mm 	<b>VL.640 FP</b> 	<b>Lobe knobs</b> Technopolymer or Duroplast (VL.140 FP), black colour, glossy finish. Black-oxide steel hub, uncovered front end, not drilled, with H7 reamed pass-through hole or H6 threaded pass-through hole. Diameters: 50 - 60 - 70 - 80 - 100 - 130 mm
<b>VCTS-Z</b> 	<b>Adjustable lobe knobs with push action</b> Technopolymer, black colour, matte finish. Black oxide steel or AISI 303 stainless steel clamping knobs with toothed element for coupling to zinc alloy insert moulded in the knob. Available with threaded hole or threaded pin. Diameters: 40 - 50 mm 	<b>VTRM-SST</b> 	<b>Lock knobs</b> AISI 303 stainless steel, sandblasted matte finish. Threaded reamed blind hole. Diameters: 32 - 40 - 50 - 60 mm 
<b>VC.692</b> 	<b>Lobe knobs</b> Technopolymer, black colour, matte finish. Brass or AISI 303 stainless steel boss, threaded blind hole; zinc-plated steel or AISI 303 stainless steel threaded stud with or without chamfered end with acetal resin bolt (VC.692-SST-p-P). The chamfered end with acetal resin bolt avoids damaging the surface of contact even in case of strong clamping. Diameters: 25 - 32 - 40 - 50 - 60 mm 	<b>VTR.</b> 	<b>Lock knobs</b> Technopolymer, black or orange colour, glossy finish. Brass boss with square hole, threaded blind hole or threaded pass-through hole; threaded zinc-plated steel stud. Diameters: 32 - 40 - 50 - 60 mm
<b>VC.692 CLEAN</b> 	<b>Lobe knobs</b> Chrome-plated technopolymer with glossy finish resistant to wear, scrapes and shocks or technopolymer white colour similar to RAL 9002, matte finish (VC.692 CLEAN). Brass or AISI 303 stainless steel boss, threaded blind hole. Diameters: 32 - 40 - 50 - 60 mm   	<b>MCT.</b> 	<b>Fluted grip knobs</b> Technopolymer, black colour, matte finish with orange or black closing cap with glossy finish and central matte surface. Assembly: pass-through hexagonal-head screws or standard lock nuts (not supplied) to put in place inside the knob by pressing. Diameters: 35 - 50 - 70 mm
<b>VLS.</b> 	<b>Security lobe knobs</b> Technopolymer, black colour, matte finish. Brass boss with threaded blind hole or threaded AISI 303 stainless steel stud. Security key in technopolymer, red colour, with stainless steel anti-intrusion profile. Available in fold-away or ball key version. Diameters: 42 - 55 mm 	<b>VCRT.</b> 	<b>Lobe knobs</b> Technopolymer, black colour, matte finish. Square pass-through hole with brass reinforcement. Brass boss, threaded pass-through hole. Diameters: 40 - 50 - 63 - 74 - 95 mm
<b>VC.192</b> 	<b>Lobe knobs</b> Duroplast, black colour, glossy finish. Black-oxide steel boss; brass or AISI 303 stainless steel boss with plain or threaded blind hole; zinc-plated or AISI 303 stainless steel threaded stud. Diameters: 25 - 32 - 40 - 50 - 60 - 70 - 85 - 100 mm 	<b>EWN.</b> 	<b>Wing nuts</b> Technopolymer, grey-black colour, matte finish. Brass or AISI 303 stainless steel boss, threaded blind hole or threaded pass-through hole; zinc-plated steel or AISI 303 stainless steel threaded stud with or without chamfered end with acetal resin bolt (EWN.SST-p-P). Boss cap in technopolymer in Ergostyle colours. Diameters: 47 - 55 - 63 - 70 mm  
<b>VCM.</b> 	<b>Lobe knobs</b> Deburred and mirror-polished cast aluminium, AISI 304 or AISI 316 stainless steel, sandblasted matte finish. Hub with H7 reamed blind or threaded hole; steel threaded pin. AISI 304 stainless steel. Diameters: 40 - 50 - 60 - 70 mm 	<b>ESN.</b> 	<b>Single wing nuts</b> Technopolymer, grey-black colour, matte finish. Brass boss, threaded pass-through hole. Boss cap in technopolymer in Ergostyle colours. Dimensions: 55 - 70 mm 